		Eastern Division										SAPS																
STANDARD LABORATORIES, INC.	ASTM Method	Belington, WV	Wheeling, WV	Gormania, WV	Middletown, OH	Cannonsburg, KY	Cresson, PA	Van Buren, AR	Evansville, IN	Washington, IN	Freeburg, IL	Triadelphia, WV	Casper, WY	Buckskin, WY	Black Thunder, WY	Antelope, WY	Cordero, WY	Coal Creek, WY	NARM , WY	NARM North, WY	Caballo, WY	Rawhide, WY	Absaloka, MT	Spring Creek, MT	Colstrip, MT	Somerset, CO	Twentymile, CO.	Huntington, UT
Commercial Lab (**C**) or On-site (**O**)		C	C	C	C	C	C	C	C	O	C	C	C	O	O	O	O	O	O	O	O	O	O	O	O	O	O	C
Coke Tests																												
Coke Reactivity Index (CRI)	D5341				**ISO**	**ISO**																						
Coke Strength after Reaction (CSR)	D5341				**ISO**	**ISO**																						
ASTM Tumbler	D3402				**ISO**	**ISO**																						
Notes																												
ISO 17025 accredited parameters		**ISO**			**ISO**	**ISO**					**ISO**		**ISO**													**ISO**		
Short Prox & Prox do not include BTU					**ISO***																							